



MATHIASSEN MACHINERY, Inc.

450 TOWN STREET, EAST HADDAM, CT

USED MACHINERY FOR SALE

RESISTANCE ANNEALERS

- 10-201** WST ACCU-ANNEAL CONTROL
- 10-204** SAMP RC80 Rod 1-4.6 mm, 40 m/s
- 10-207** Syncro R-100, 12-16 ga, 4000 fpm
- 10-216** Syncro C-3 18 to 26 awg, .04 to .016
- 10-220** Tsukiyama Model STA-350 for cable

GAS & ELECTRIC ANNEALERS

- 10-205** Three Siemens Flat steel annealing lines. Width 15-360 mm thickness 0.2-2.0 mm; Width 1.5-5.0 mm of thickness: 0.1-0.6 mm; Width: 10-300 mm of 15-42 mm thickness: 0.3-2.
- 10-206** Lee Wilson 3 furnaces, 4 bases, 4 retorts, 1500 Degrees F
- 10-208** Despatch Ovens 108" X 67" X 80"; Max. temp 850 F, (2 available)
- 10-209** Larabee Bell; 30" and 48"
- 10-212** 8 tubes strand 2000 max for ss
- 10-210** 9 tubes strand 2000 max for ss
- 10-214** CM mdl. 200SA-4Z-SC, 2200 F, 15'
- 10-215** 8 strand electric Furnace, 1500 F max. Ran 6 wires, w/ P.O. & T.U.
- 10-217** Lee Wilson 48 & 54", Bell, 1650 F
- 10-218** Lee Wilson 114", Bell, 1650 F
- 10-219** Instronic 20 Strand, 2250 F
- 10-221** GE 20 Strand, 2200 F, 10' long
- 10-222** American Coil Box Furnace 2150 F
- 10-223** Westinghouse Bell Annealer

ARMOURING

- 11-122** Sleeper Hartley 1" and 2"
- 50A-168** 48 bay x 850mm (33") planetary

BALE, BAR & BAG TIE

- 12-103** Robinson Bar Tie, 100 p/min
- 12-104** Single loop bale tie 1999

BARBED WIRE

- 13-127** Vitari Iowa type 2.2. - 2.7
- 13-126** Wafios Model STDH (2 avail)

BENDING AND FORMING

- 14-121** MEP Stirrup Bending
- 14-122** Wafios Chain making models KES160, 130, & 80, KZ130, & 80

BRAIDERS

- 15-123** T-Machinery 36 Carrier maypole

- 15-125** Wardwell 16 Carrier (17)
- 15-126** Wardwell 24 Carrier, Speedmaster
- 15-127** Wardwell 8 Carrier, New 1991
- 15-131** Herzog 12 and 24 carrier
- 15-133** Horizontal 24 Carrier

BULL BLOCKS

- 16-196** Showa 660 mm, 40 HP
- 16-200** WMC Horizontal 36" dia., Hydraulic
- 16-203** MRB 36" X 42" Tube Block, 75 HP
- 16-208** Vaughn #22, 36" Bull Block, 100 HP, Fenn 5F Swager, Power Pay-Off & Coil Compactor. Spare 36" & 48" blks.
- 16-209** Vaughn 30" X 12" High Riding Strip
- 16-210** Frigerio Double Deck Ent 4-9 mm
- 16-212** Vaughn Double Deck 30", 125 HP
- 16-213** Breitenbach Double Deck 30 HP

BUNCHERS, TWINNERS & CABLERS

- 17-123** Cook ST, 8" thru 48" dia Cablers
- 17-224** Bekaert, model DTK-450d, 18" dia.
- 17-248** Larabee 12" dia Double Twist
- 17-251** CECCO 22" dia. double Twist
- 17-256** WMCA 30" Cord Twisters (2)
- 17-257** Godderidge 24" Dbl Twist, 1993
- 17-260** Cook BH-8 (2 available)
- 17-265** Lesmo, 630mm DTB 3000 tpm
- 17-266** Cortinovis, 630 DTB, 5400 TPM (4)
- 17-267** Bartell 24" 630 mm, 3000 tpm (13)
- 17-268** Cortinovis CFS450mm, 7000 tpm
- 17-273** MGS 30" DT Buncher
- 17-281** Cook 24" Single Twist
- 17-283** Edmands 48" Double Twist Cabler
- 17-285** Edmands 22" 3 Wire Bow twister
- 17-286** Bema 30" Single Twist Cabler
- 17-291** Kinrei K36-2, 22" Double Twist
- 17-304** Godderidge TD 600 double twist

CAPSTANS

- 18-110** 84" Diameter Belt Wrap
- 18-132** Davis Electric 24" Caterpillar
- 18-133** Cabletrade 10' Caterpillar. yr. 1999
- 18-136** Davis Standard 60" Belt Wrap
- 18-137** Calmec 48" caterpillar capstan
- 18-138** Ceeco 36" caterpillar capstan
- 18-140** D-S 24" beltwrap capstans (3) avail
- 18-141** 16" dual wheel wet capstan
- 18-142** 48" belt wrap Horizontal

- 18-143** 84" belt wrap capstans (2)
- 18-144** 60" belt wrap capstan No motor
- 18-148** Pourtier 2500 mm Dual Wheel
- 18-151** Watson 36" diameter wheels only
- 18-152** 36" Dual Wheel Capstan

CHAINLINK FENCE

- 19-128** Wafios VDF-80, 2-2.5-4 m wide; and DF-3, 3 meters wide.
- 19-129** Wafios DF3 2500mm Width 1985, With Wafios AFK-1 Compacting Device.
- 19-130** Wafios VDF 100, 1982, 3 m Wide
- 19-131** Wafios VDF 80, 2.2 m wide
- 19-133** Angeli Faenza, 3 m, 3.5 mm

COILERS

- 20-165** Macbee 16" Dead Block
- 20-173** Morgan 24" Dead Block (2) avail
- 20-174** Morgan 24" Dead Block No motor
- 20-175** Renco 22" Dia Dead Block Coiler
- 20-176** Breitenbach 24" Deadblock Coiler
- 20-179** KB 30" Drop Down for Aluminum
- 20-180** Bongard TW51/480 (3) Avail. 1996
- 20-181** K&B 30" Drop Down Coiler
- 20-182** Vaughn 30" Dead Block
- 20-183** Vaughn 24" Dead Block 40 HP
- 20-186** Endex 30" Drop Down Coiler
- 20-187** Niehoff WF-800 Drop Down Coiler with T-400 Dancer, yr. 1990's

CONTINUOUS CASTERS

- 21-105** GE Dip Forming, 6 Tons/Hour
- 21-148** Copper Rod Continuous 15 T/hour
- 21-148** Rautomead horizontal 6 wire caster, 60,000 tons/week, from scrap.
- 21-149** Vertical up caster for copper alloys, 12,000 lbs/day, 6 lines

DESCALERS

- 22-114** Tainan Cheng Mechanical Descaling & Coating System. 8 mm Diameter.

DRAW STRAIGHTEN CUT AND POLISH

- 23-152** Schumag KZRP 1A Complete Line

DRAW BENCHES

Please send us your surplus list.

More on next page

ENAMELING

- 25-133** Sicme enameling machines.
- 25-138** Mag, Drawing, Ovens, Take-ups
- 25-139** Mag HS1, 0.04 to 0.10mm
- 25-140** Mag HS0, 0.02 to 0.05mm
- 25-142** Complete MAG Enameling Plant

EXTRUDERS

- 27-161** Entwistle 3.5", 36" dual spooler
- 27-208** Complete Extrusion Plant for the production of 4-28 ga PVC insulated 2.5" and 3.5" extruding lines complete.
- 27-212** Entwistle Thermoflite 4.5", 20:1
- 27-214** Royle model 4W 4.5" 20:1 rubber
- 27-215** Davis Standard 75mm 20:1 40hp
- 27-216** Davis Standard 4.5" 20:1
- 27-217** Davis Standard 3.5" 20:1 rubber
- 27-219** Nokia Maillefer 120 mm 24:1 line.
- 27-221** Henschel 202 mm Sheathing Line
- 27-224** Maillefer 150 mm, 16:1 Extruder
- 27-227** TEC 2.5" Complete Line, yr. 2001
- 27-228** Davis Standard 3.5"
- 27-229** Davis Standard 2.5" 24:1
- 27-230** Wayne Machine 1", 24:1
- 27-231** Davis Standard 2", 24:1 Fiber
- 27-232** Davis Std. 2", 24:1, High Temp
- 27-233** Entwistle High Temp
- 27-234** Whitlock DB 200 Desiccant Dryer
- 27-239** Nextrom 80-24D, 80 mm

EXTRUSION PRESSES

- 28-115** BWE Conform, Mdl 550, 12-25.4 mm, Aluminum, w/ conklad
- 28-116** Holton Conform, Mdl C500

RUBBER MILLS

- 61-199** Farrel Lab Mill 12" X 6" rolls 7.5 HP
- 61-200** Reliable 48" X 18" Dia., 100 HP

FASTENERS

- 29-108** Omega Nail Threader
- 29-109** National Cold Headers: S3, 45, 89

FARM FENCE

- 30-123** Wafios Hex mesh size 16 to 51 mm, dia. .7 to 1 mm, 2.2 to 3.3 m width
- 30-124** Crimped wire mesh machines (6)
2X2, 1.10 mm; 3X3, 0.84 mm; 4X4, 0.69 mm; 5X5, 0.61 mm; 6X6, 0.53 mm; 8X8 0.48 mm
- 30-125** Jinlida Gabion Fence M/C, yr. 2010

MESH WELDERS

- 34-185** National 5' Wdth, 6" X 6", 3-6.4 mm
- 34-186** EVG G45, 2.7 meter, 5 - 12 mm, line & cross wire fed from spools. 09'
- 34-196** EVG G5, 2.4 m, 50 mm, 12 mm D
- 34-202** Schlatter MG208 Complete Plant
- 34-207** EVG GR65, 62", with roll take up
- 34-208** Auto Girder Welding Line
- 34-209** Jager H27/45 2700mm Width

- 34-210** Pittini 5' wide 10-4 ga, roll or sheet
- 34-211** Schlatter Posiweld panel welder
- 34-212** Evg GZN, 16 to 9 ga, 2750 mm
- 34-213** Clifford Panel Welder, mdl 12-12
- 34-214** Schlatter GP3, Jig Welder, 1986
- 34-216** Turner/Stacker, 2.5 m width

NAIL & STAPLE MACHINERY

- 35-183** Complete Nail Plant
- 36-102** Latour Paper Clip Machines

PAY OFFS

- 38-131** Davis Electric 60" Shaftless
- 38-138** Davis Electric MDL 18 M10 2 avail
- 38-139** Davis 24" shaft motorized
- 38-167** Stolberger 96" PO & Take Up
- 38-168** Entwistle 48" Shaftless
- 38-171** Davis Electric 96" Shaftless
- 38-172** Royle 96" Shaftless, 10 Ton, (2)
- 38-173** Sterling DE 36" Shaftless (14)
- 38-174** Cecco Hydraulic 72" X 54"
- 38-175** DE 84" / 90", 20,000 lb (2)
- 38-176** DE 84" Walk-thru, 20,000 lbs
- 38-178** Davis Electric 96" Walk-thru
- 38-179** Skaltek, Mdl: A12P 4K, 48" (2)
- 38-180** Vertical coil pay-off, 6000 lbs
- 38-181** Unegatti 24 head ultra fine wire
- 38-182** Kabmatic AVR-15, Dual 96" portal

COMPLETE PLANTS

- 39-157** Steel wire drawing and galvanizing, KOCH, Euro Draw, Hi-Draw, & Frigerio rod drawing, Hi-draw Galv lines
- 39-159** Complete 100,000 sqft Wire manufacturer of aluminum, copper clad aluminum, copper and tin coated copper fine wire. Various constructions of wire including single end and multiple wires on braider bobbins, stranded and bunched wire. Aluminum Rod drawing 625 lbs/hr. Location: USA
- 39-165** Complete Copper Telephone Plant including Rod Breakdown, Insulating, Quading, Sheathing, Armoring, SZ Stranding, Drum Twisting and Rewinding and Testing, Year 1994/95
- 39-167** Nut, bolt, and washer plant
- 39-168** Complete telephone wire plant
- 34-202** Schlatter MG208 Complete Plant including drawing/rolling, straighten and Cut. 4 to 12 mm diameter, Year 2004.

PLATING

- 40-115** Hot Dip Tinning Line 6 wires, 6 ga
- 40-123** Zinc Galvanizing, 40 Wire Gas
- 40-128** Nail Galvanizing Line 2000 lbs/hr
- 40-129** Nickel Plating of Steel Wire Line
- 40-131** Galvanizing Line, yr. 2000
- 40-132** Henrich Electro Tinning 18-10 awg, with 631 mm auto dual spooler

PREHEATERS

- 41-100** WST Series 300 Version 5 12 kva

REWIND LINES

- 43-129** Davis Electric 18" Collapsible Coil
- 43-134** Tulsa 16" rewriter W/ Sparker
- 43-135** Gary 16" rewriter with Sparker
- 43-140** Davis Electric CRS-H 30" to 30"
- 43-149** Davis Electric 96" shftless
- 43-150** Hacoba Bobbin Winders 1995 (4)

ROLLING / FLATTENING MILLS

- 44-148** Broden RUESCH MODEL 200 4-HI REVERSING MILL9
- 44-149** Broden 8" dia X 5" Wide
- 44-157** Morgan Steel Billet Hot Rolling
- 44-158** Ruesch 4 Stand 7.5" roll diameter
- 44-159** Waterbury Shape line 3 stand
- 44-160** REBAR Mill 65 tons/hour
- 44-161** FENN 2 HI, 12" L X 8" dia., 150 HP

ROLL POINTERS

- 45-121** Showa, Morgan 10 groove, 5/16"
- 45-123** Syncro PP2 Rod Roll Pointer, 1/2"
- 45-127** Morgan & Vaughn 2 roll 10 groove
- 45-132** Vaughn 2 roll 10 hole 5/16" (3)
- 45-134** Waterbury 12" dia. Pointer Stringer
- 45-135** Vaughn 4 roll, 2 plane, .5" Cap
- 45-136** Vaughn 2 roll, 10 groove, 3/8" cap
- 45-138** Vaughn 2 roll hand pointer, 2 grv.
- 45-139** Vaughn 2 roll heavy duty

SERVING & TAPING

- 46-108** Watson Dual Binding Head
- 46-109** 26" Concentric Taping Head

SHAVING

- 47-102** ACME Machine 3/16" Shaving

SPRING MAKING

Please send us your surplus machinery list

STRAIGHTEN AND CUT

- 49-210** Lewis 4FHA, 1/16" to 5/16", 20' run
- 49-211** Schuster 3AV, .5" Cap, 14' runout
- 49-212** Lewis 2CV4 1.5-8mm, 8' runout
- 49-213** EVG DRE 10-C, 3/8", 800 fpm.
- 49-214** Lewis 9FHA, 0.25 to 0.5"
- 49-215** Lewis 20 F .625" max

PLANETARY CABLERS

- 50A-146** NEB 12+12, 12" Diameter
- 50A-163** AFA 48 bay. 8" dia X6", 1992
- 50A-166** MKVD 8 X 1600 mm, Yr. 1985
- 50A-167** Rosendale 12 + 12, 400 mm
- 50A-169** 48 Bobbin, 18", 6+12+18

TUBULAR STRANDERS

- 50B-206** MGS 6 Bay, 10" dia.
- 50B-218** 7 wire 16" w/ 24" T.U.

More on next page



We buy and sell used Wire and Cable Machinery internationally
Visit at WIRE 2012, March 26-30, Stand Number 12A22



50B-231 Bartell 6B70, 10" dia. OSU (2)
50B-232 Bartell 6 bay, B62, 6.5" dia (30)
50B-233 Watson 12 bay, 16" diameter
50B-234 WMCA 12 bay, 16", dual capstan
50B-238 Bartell B64, 12 bay, (3), OSSU
50B-239 WMCA 12 Bay, 12.5" ISSU
50B-242 Trafalgar 19 wire 6+12, 400 mm
50B-253 Bartell 24 Bay 10" Like New
50B-257 Bartell B69, 6 Bay, 16" dia. (3)
50B-258 Bartell B64, 12 bay, 10" dia (2)
50B-259 Bartell B62, 18 Bay, Outside Strg
50B-260 BEMA 8+1, 710 mm, 500 rpm
50B-261 Bartell B64, 6 bay, outside strg.
50B-262 Bartell B64, 6 bay, w/ 10" splr.
50B-263 Bartell B64, 12 bay, outside strg.
50B-264 Bartell B62, 18 Bay, inside strg.
50B-264 Bartell B84, 6 Bay, Inside Strg.

RIGID CABLERS

50C-135 Watson 6+12+18 22" dia.
50A-163 AFA 48 Bay. 8" X 6", 120 RPM,
 40 HP, 63.5-127mm lay length, 1992

SWAGERS

51-117 Halden 1" to 3-3/8" 200 HP AC,
51-129 Standard #3, 5/8" Solid 1.75 tube
51-131 FENN 5F, 4 die, 1.5" solid, 3.12"
 Tube, 15 HP AC, 8 die sets .31" - .85"

SPOOLERS

52-160 Clipper Parallel Axis Dual Reel, 18"
52-161 Davis Elec. DR24, 24" Dia.
52-166 Syncro B, 12" dia.
52-174 Schmidt 10" diameter Shaftless
52-175 SKET 10" Diameter Shaft Type
52-177 Syncro Mark II 30" Dual Spooler
52-178 Syncro E150 16" Shaft Type
52-184 Niehoff 1999, S 500, 24" dia.
52-185 D-E high Speed dual 16" MFD
52-185 Frigerio 48" Vertical, BV115

TAKE- UPS

43-129 Davis Electric 18" Collapsible Coil
43-149 Entwistle 96" Shaftless T.U (EH)
53-194 MIG Wire collapsible coil package
53-201 Davis Standard 36" dual reel. (EH)
53-216 Stolberger 96" Shaftless
53-229 Bartell 48" Shaft type
53-230 Bartell 60" Shaft type
53-231 BHS Pail Pack, 14" dia capstans
53-232 Wyrepak 6 head pail packer
53-234 Nokia EKP50, Auto. Dual 500 mm
53-235 FENN Hydraulic Traversing

TUBE

55-116 Aluminum Tube Mill, Draw Bench,
 Bull Block, Bending, Straightening.

TESTING

56-107 Tensitron TR-2000 HC (2)
56-108 Scott GRE-1000 Tensile Tester

BUTT WELDERS

58-140 Microweld Model J45C .08" - .204"
58-147 MicroWeld AD-4, .250" to .500"
58-151 Micro J8C .187"- .500", Cu
58-157 Micro AD-4 .375"- .750" cu./Alu.
58-161 Microweld AD3, .25" to 0.5" (6)
58-162 Microweld AD4 .375 - .750" (2)
58-163 Microweld AD5 Copper, Alum Alloy
58-164 Heintz Koldwelder 1H, 3/16" dia.
58-165 Microweld J8A 0.25" to 0.5" Al.
58-166 Heintz Koldwelder KBM7 .012"
58-167 BWE, CW3E, 1 mm - 4.7 mm
58-168 Hakusan BF8D 0.390" Copper
58-169 Microweld J4C .045" - 0.128" Cu
58-171 Microweld GP-1, 8-20 ga stranded
58-172 Ideal AS-15D, 5-15 mm Steel
58-173 Micro J8C, 550V, .25" - .5" Cu
58-174 Micro J4S 040-.160" Steel (5)
58-175 Hakusan BS-8, 9.5 mm Steel
58-176 Microweld J6S, .187-.312" Steel
58-178 Microweld E1S, .020-.040 Steel
58-182 Koldwelder BM5, .05" (2)
58-183 Microweld E1C, .015-.050"

WIRE DRAWING MACHINERY NON-FERROUS ROD

59A-172 Cook DI-13 Cone type rod
59A-199 DeAngeli Trolley Wire Machine
 Enter 23 mm, 1200 mm dia blocks
59A-206 VAUGHN 10 DST, 9.5 mm Al
59A-218 Syncro F13 (4 available)
59A-219 Syncro 22T-13 die, w/ Splr & Coil
59A-220 Syncro DX-13 with Spooler
59A-221 Larabee 13 die with Spooler
59A-223 Arboga, 5 Block, 52 KW/blk.
59A-225 Larabee 13 die w/ dual spooler
59A-226 Vaughn dual cone 9 die compact.
59A-227 Syncro FX-13 Machine only

NON-FERROUS INTERMEDIATE

59B-159 COOK I-13, Enter 5 ga. (0.182"),
 Finish 16-28 ga., 7500 fpm Anneal & Splr.
59B-179 Syncro C-13 with C-3, DFH
59B-184 Syncro C-12 with DFH Spooler
59B-185 Syncro C-13 w/ C-3 Anl. & 30"
 DFH Splr, 30" Coiler, or 30" Dual Splr.
59B-186 Syncro C-13, W/ DFH, No Motor
59B-187 Niehoff M30 17 dies, 24% elong.
59B-191 Niehoff M30, 21 Dies, VG30 Anl.

NON-FERROUS FINE

59C-237 Niehoff M-5, W/ Splr, 5 avail
59C-270 COOK FM16 W/Anneal & Splr,
 Ent 2 mm, 16 dies, Fin 24-36 ga
59C-278 Syncro BG-16, W/ Spooler
59C-283 Syncro AG-16 with AB4S
59C-292 Samp TRB5 ent 0.8 to 0.18 mm
59C-306 Bekaert KDM-1, GKM-1 an-
 nealer, OEK spooler, 1996
59C-309 Vaughn CF1X ringblos
59C-310 Niehoff M354, with vert. fin. Cap.
59C-311 Syncro BG-16, C-3 Anl., 16" Splr

FERROUS ROD

60A-232 OTT 9 blk., 30m/sec, ent.6.5mm
60A-239 SHOWA 4 Blk, 22", 30 HP/blk
60A-250 Vaughn 3 HRX, 26" dia. Blocks
60A-254 Arboga 6/7 Blk. 16", 30hp dc ea.
60A-255 Diosgyori, 9 Block, ent. 5.5mm,
 fin. 2.2mm to 0.8mm, 3 available
60A-259 KOCH, HI-DRAW, FRIGERIO, &
 EURODRAW, 6 to 11 dies, ent 11 mm
 to 5.5 mm, 6 available. 1991 to 1995.
60A-263 Morgan 5/6 MVS, 24" DBC
60A-265 Vaughn #22, 36"/48" Bull Blk,
 100 HP, Swager, P.O. & Compactor.
60A-266 Pattini 4 Blk., 5.5, fin: .187-.116"
60A-269 Breitenbach 8 blk, 5.5 mm
60A-270 Vaughn 6/7 with Drawing DB (3)

FERROUS INTERMEDIATE

60B-141 RMG 7 Block, 24/20", 10 hp/blk,
 ent 5.5 mm, year 2000, never used
60B-143 Vaughn 7/8 HIVXX Enter .220"
60B-146 Hi-Draw 9 die, SBH 450D 2 H.C.
60B-147 Enter 3.2 mm HC, Fin. .89 mm

FERROUS FINE

60C-145 Vaughn 12HF, Ent .032"-0.051",
 Finish 0.013"-0.030", w/ 10" spooler
60C-151 Vaughn 12 HF (8)
60C-153 Herborn T II B, Tub Type
60C-155 Vaughn 16 CF-1, .010 to .005 SS
60C-156 Vaughn 12 HF, .080-.0317"
60C-157 Vaughn 12 HIC, .105-.047"

MISCELLANEOUS

61-170 Transmissions & Gear Boxes
61-177 Transformers 7.5-220 KVA
61-184 Hydraulic Pistons
61-185 Deltech Compressed Air Dryer
61-190 Dancers 9" dia. Sheaves, 85" high
61-194 Le Roi Dresser Air Compressor
61-195 Sweet Scap chopper
61-196 Watson Gear Box
61-198 Cook Reels 30", 22", 16", 15" dia
61-199 Farrel Lab Rubber Mill 12" X 6"
61-200 Reliable Rubber mill 48" X 18" Dia.
61-204 Aumann Coil Production winding
61-213 Vertical Accumulator 25' High

DRUM TWISTERS

62-125 Ceeco 48" Rotating Take-up
17-256 WMCA 30" Cord Twister
39-156 2500 mm w/ rotating p.o.'s

FIBER OPTICS

63-116 KuKa Ma SZ Strander w/ 1991
 Bongard Tensioner.
63-117 Kobelcooptical Draw Tower 24
 eters, 1200 m/min, w/ test equipment



450 TOWN STREET
EAST HADDAM, CT 06423



MATHIASSEN MACHINERY, INC.

WANTED: YOUR SURPLUS WIRE AND CABLE MACHINERY

MMI is continually looking for good used wire and cable machinery for the ferrous and non-ferrous wire industries. All types of machinery required. Convert your surplus machinery into cash. We will buy the machinery for stock or act as your exclusive agent to sell it for you. MMI has buyers interested in complete plants as well as individual machines. Please send us your list of surplus machinery.

MATHIASSEN MACHINERY OFFERS THE FOLLOWING SERVICES:

Appraisals, Complete Plant Liquidations, Consignments, Warehousing, Rebuilding

Contact Mark or Mike Mathiasen for more details.

PHONE: (860) 873-1423 FAX: (860) 873-8866

WEB: www.mathiasen-machinery.com

EMAIL: mmi@mathiasen-machinery.com